Attorney Docket No.: 03495.0362-09000

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions and listings of claims in the

application:

1-70. (Cancelled).

71. (Currently Amended): A DNA construct for homologous recombination,

comprising:

(A) a first recombination flanking DNA sequence and a second recombination

flanking DNA sequence,

wherein the first recombination flanking DNA sequence is homologous to

a first endogenous DNA sequence in the genome of a mammalian cell, and

the second recombination flanking DNA sequence is homologous to a

second endogenous DNA sequence in the genome of the mammalian cell; and

(B) a first heterologous insertion DNA sequence and a second heterologous

insertion DNA sequence,

wherein the first heterologous insertion DNA sequence encodes a first

gene product that does not confer resistance to a selection agent involved in the

selection of transformants,

the second <u>heterologous</u> insertion DNA sequence encodes a second gene

product that confers resistance to a selection agent involved in the selection of

transformants,

- 2 -

Attorney Docket No.: 03495.0362-09000

the second <u>heterologous</u> insertion DNA sequence is downstream of the first insertion DNA sequence,

the second heterologous insertion DNA sequence is operatively linked to regulatory elements that direct expression in transformed cells of the second gene product that confers resistance to the selection agent, and

the first gene product is part or all of a receptor;

wherein the first and second heterologous insertion DNA sequences are located between the first and second recombination flanking DNA sequences in the DNA construct; and

wherein, upon introduction of the DNA construct into the mammalian cell, the first flanking DNA sequence recombines with the homologous first endogenous DNA sequence in the genome of the mammalian cell, and the second flanking DNA sequence recombines with the homologous second endogenous DNA sequence in the genome of the mammalian cell, the first and second-recombination DNA sequences direct homologous recombination events between the first and second endogenous DNA sequences in the genome of the mammalian cell upon introduction of the DNA construct into the mammalian cell, such that the first and second heterologous insertion DNA sequences are inserted into the genome of the mammalian cell between the first and second endogenous DNA sequences.

72. (Previously Presented): A DNA construct according to claim 71, wherein the receptor is a receptor for an infectious or toxic agent.

Attorney Docket No.: 03495.0362-09000

73. (Previously Presented): A DNA construct according to claim 71, wherein the receptor is a retinoic acid receptor.

- 74. (Previously Presented): A DNA construct according to claim 71, wherein the receptor is a 3-β adrenergic receptor.
- 75. (Previously Presented): A DNA construct according to claim 71, wherein the receptor is an HIV receptor.
- 76. (Currently Amended): A DNA construct for homologous recombination, comprising:
- (A) a first recombination <u>flanking</u> DNA sequence and a second recombination flanking DNA sequence,

wherein the first recombination flanking DNA sequence is homologous to a first endogenous DNA sequence in the genome of a mammalian cell, and the second recombination flanking DNA sequence is homologous to a second endogenous DNA sequence in the genome of the mammalian cell; and

(B) a first <u>heterologous</u> insertion DNA sequence and a second <u>heterologous</u> insertion DNA sequence,

wherein the first <u>heterologous</u> insertion DNA sequence encodes a first gene product that does not confer resistance to a selection agent involved in the selection of transformants,

Attorney Docket No.: 03495.0362-09000

the second <u>heterologous</u> insertion DNA sequence encodes a second gene product that confers resistance to a selection agent involved in the selection of transformants.

the second <u>heterologous</u> insertion DNA sequence is downstream of the first insertion DNA sequence,

the second <u>heterologous</u> insertion DNA sequence is operatively linked to regulatory elements that direct expression in transformed cells of the second gene product that confers resistance to the selection agent, and

the first gene product is part or all of an interferon;

wherein the first and second <u>heterologous</u> insertion DNA sequences are located between the first and second <u>recombination flanking</u> DNA sequences in the DNA construct; and

wherein, upon introduction of the DNA construct into the mammalian cell, the first flanking DNA sequence recombines with the homologous first endogenous DNA sequence in the genome of the mammalian cell, and the second flanking DNA sequence recombines with the homologous second endogenous DNA sequence in the genome of the mammalian cell, the first and second recombination DNA sequences direct homologous recombination events between the first and second endogenous DNA sequences in the genome of the mammalian cell upon introduction of the DNA construct into the mammalian cell, such that the first and second heterologous insertion DNA sequences are inserted into the genome of the mammalian cell between the first and second endogenous DNA sequences.

Application No.: 10/770,418 Attorney Docket No.: 03495.0362-09000

77. (Currently Amended): A DNA construct for homologous recombination, comprising:

(A) a first recombination <u>flanking</u> DNA sequence and a second <u>recombination</u> <u>flanking</u> DNA sequence,

wherein the first recombination flanking DNA sequence is homologous to a first endogenous DNA sequence in the genome of a mammalian cell, and the second recombination flanking DNA sequence is homologous to a second endogenous DNA sequence in the genome of the mammalian cell; and

(B) a first <u>heterologous</u> insertion DNA sequence and a second insertion DNA sequence,

wherein the first <u>heterologous</u> insertion DNA sequence encodes a first gene product that does not confer resistance to a selection agent involved in the selection of transformants,

the second <u>heterologous</u> insertion DNA sequence encodes a second gene product that confers resistance to a selection agent involved in the selection of transformants.

the second <u>heterologous</u> insertion DNA sequence is downstream of the first insertion DNA sequence,

the second <u>heterologous</u> insertion DNA sequence is operatively linked to regulatory elements that direct expression in transformed cells of the second gene product that confers resistance to the selection agent, and

the first gene product is part or all of an interleukin;

Attorney Docket No.: 03495.0362-09000

wherein the first and second <u>heterologous</u> insertion DNA sequences are located between the first and second recombination <u>flanking</u> DNA sequences in the DNA construct; and

wherein, upon introduction of the DNA construct into the mammalian cell, the first flanking DNA sequence recombines with the homologous first endogenous DNA sequence in the genome of the mammalian cell, and the second flanking DNA sequence recombines with the homologous second endogenous DNA sequence in the genome of the mammalian cell, the first and second recombination DNA sequences direct homologous recombination events between the first and second endogenous DNA sequences in the genome of the mammalian cell upon introduction of the DNA construct into the mammalian cell, such that the first and second heterologous insertion DNA sequences are inserted into the genome of the mammalian cell between the first and second endogenous DNA sequences.